

- Buchanania macrophylla*, 534
 — *mollis*, 529
 — *solomonensis*, 530
 — *Versteeghii*, 531
Callitriche papuana, 258
Calogyne pilosa, 388
Calophyllum Brassii, 352
 — *congestiflorum*, 349
 — *costatum*, 351
 — *Kajewskii*, 353
 — *lanceolatum*, 345
 — *papuanum*, 348
 — *pauciflorum*, 348
 — *procerum*, 344
 — *savannarum*, 352
 — *solomonense*, 346
 — *trachycaule*, 346
 — *vitiense*, 347
 — *Warburgii*, 345
Campnosperma auriculata, 535
 — *Brassii*, 535
 — *macrophylla*, 534
 — *montana*, 533
Caragana chamlagu, 576
 — *chinensis*, 577
 — *frutescens ussuriensis*, 577
 — *sinica*, 576
Carya angustifolia, 571
 — *illinoënsis*, 571
 — *olivaeformis*, 571
 — *Pecan*, 571
 — *tetraptera*, 571
Catalpa hybrida Spaeth, Chromosome behavior in, 219
Cayratia grandifolia, 378
 — *japonica*, 379
 — *lineata*, 379
 — — *fusco-lanata*, 379
 — *megacarpa*, 379
Celastrus novoguineensis, 260
Celtis Kajewskii, 254
 — *similis*, 253
Cenesmon hainanense, 430
 — *laoticum*, 428
 — *lineare*, 428
 — *peltatum*, 428
 — *Poilanei*, 428
 — *tonkinense*, 429
Cephalotaxus Buergeri, 570
Cephalotaxus drupacea, 570
 — — *fastigiata*, 570
 — — *Harringtonia*, 569
 — — *nana*, 571
 — — *pedunculata*, 569
 — — *sinensis*, 571
 — *Harringtonia*, 569
 — — *coraiana*, 570
 — — *drupacea*, 570
 — — *fastigiata*, 570
 — — *fastigiata*, 570
 — — *koraiana*, 570
 — — *koreana*, 571
 — — *nana*, 571
 — — *sinensis*, 571
 — — *sphaeralis*, 570
 — *koraiana*, 570
 — *koreana*, 571
 — *nana*, 571
 — *pedunculata*, 569
 — — *fastigiata*, 570
 — — *sphaeralis*, 570
Chromosome behavior in Catalpa hybrida Spaeth, 219
Cissus acetosa, 375
 — *adnata*, 376
 — *assamica*, 377
 — *conchigera*, 376
 — *grandifolia*, 378
 — *hypoglaucia*, 378
 — *indica*, 376
 — *lineata*, 379
 — — *fusco-lanata*, 379
 — *megacarpa*, 379
 — *pyrrhodasys*, 378
 — *simplex*, 378
Clavistylus peltatus, 426
Clematis nutans, 575
 — — *normalis*, 575
 — *Roylei*, 575
Cleyera, Studies in the Theaceae, VII, The American species of the genus, 395
Cleyera, 397
 — *albo-punctata*, 399
 — *Bolleana*, 403
 — *cernua*, 404
 — *costaricensis*, 410
 — *Ekmani*, 401
 — *elegans*, 465

- Cleyera integrifolia*, 401
 — *japonica*, 397
 — **Matudai**, 403
 — *mexicana*, 402
 — *nimanimae*, 411
 — — *viridula*, 411
 — *panamensis*, 412
 — *revoluta*, 405
 — *serrulata*, 407
 — **Skutchii**, 408
 — *syphilitica*, 401
 — *tacanensis*, 406
 — *ternstroemoides*, 416
 — *theaeoides*, 413
 — *vaccinioides*, 415
Cnesmone anisosepala, 429
 — *hainanensis*, 430
 — *javanica*, 427
 — *laotica*, 428
 — *linearis*, 428
 — **Mairei**, 429
 — *peltata*, 428
 — **Poilanei**, 428
 — *tonkinensis*, 429
Colubrina papuana, 264
 Comparative morphology of the Icacinaceae, I, Anatomy of the node and internode, The, 125
 Comparative morphology of the Icacinaceae, II, Vessels, The, 171
 Comparative morphology of the Icacinaceae III, Imperforate tracheary elements and xylem parenchyma, The, 432
 Comparative morphology of the Icacinaceae IV, Rays of the secondary xylem, The, 556
Corynocarpus australasicus, 541
 Cosson's "Illustrationes Florae Atlanticae" 1882–1897, A note on the dates of issue of the fascicles comprising, 455
 CROIZAT, LEON. A discussion of new and critical synonymy, 133
 — The tribe Plukenetiinae of the Euphorbiaceae in eastern tropical Asia, 417
Crypteronia Cumingii, 270
Cymbopogon Bequaerti, 137
Dalea filiciformis, 159
Dalrymplea javanica, 547
 — *pomifera*, 546
Daphnandra novoguineensis, 251
Daphnidium pulcherrimum, 20
Dicranocarpus parviflorus, 164
Dillenia alata macrophylla, 498
 — *auriculata*, 501
 — *ingens*, 501
 — *macrophylla*, 498
 Discussion of new and critical synonymy, A, 133
Drimyspermum Perrottetianum, 265
Drymaria elata, 157
 — *lyropetala*, 157
Duabanga moluccana, 269
Dysoxylum micranthum, 257
 — **Whiteanum**, 256
Elaeagnus triflora, 267
Eroteum, 459
 — *albo-punctatum*, 399
 — *hirsutum*, 479
 — *subintegritifolium*, 476
 — *theaeoides*, 413
 — *undulatum*, 464
 — *yungasium*, 487
Euonymus Maackii lanceolata, 578
Euphorbia astyla, 159
 — **Fendleri**, 133
 — — *dissimilis*, 133
 — — *typica*, 133
 Euphorbiaceae in eastern tropical Asia, The tribe Plukenetiinae of the, 417
Eurya § *Cleyera*, 397
 — § *Freziera*, 459
 — subgen. *Cleyera*, 397
 — subgen. *Freziera*, 459
 — *albo-punctata*, 399
 — *angulosa*, 466
 — *arbutifolia*, 480
 — *Benthamiana*, 402
 — *boliviensis*, 488
 — *Bolleana*, 403
 — *calophylla*, 474
 — *candicans*, 492
 — *canescens*, 491
 — *cernua*, 404
 — *conocarpa*, 496
 — *cordata*, 462

- Eurya Dombeyana*, 487
 — *Ekmani*, 401
 — *ferruginea*, 479
 — *Friedrichsthaliana*, 471
 — *Grisebachii*, 479
 — *guatemalensis*, 468
 — *guianensis*, 490
 — *Hintoni*, 189
 — *Humboldtiana*, 481
 — *inaequalifolia*, 470
 — *inaequilatera*, 470
 — *integrifolia*, 402
 — *Karsteniana*, 484
 — *lanata*, 487
 — *lancifolia*, 478
 — *Lehmannii*, 474
 — *longipes*, 473
 — *macrophylla*, 469
 — *mexicana*, 402
 — *monzonensis*, 496
 — *nervosa*, 474
 — *nimanimae*, 411
 — *nitida*, 467
 — *panamensis*, 412
 — *reticulata*, 481
 — — *subintegrifolia*, 482
 — *roraimensis*, 490
 — *Seemanniana*, 492
 — *sericea*, 482
 — — *chrysophylla*, 494
 — *spathulifolia*, 472
 — *suberosa*, 466
 — *subintegrifolium*, 476
 — *syphilitica*, 402
 — *ternstroemioides*, 416
 — *theoides*, 414
 — *undulata*, 464
 — *vaccinioides*, 415
 — *verrucosa*, 475
 — *Wawrai*, 483
 — *yungasia*, 487
Evodia asteridula, 41
 — *Bonwickii*, 39
 — *cladantha*, 37
 — *coriacea*, 45
 — *crispula*, 35
 — *cuneata*, 39
 — *Elleryana tetragona*, 38
 — *eriophylla*, 38
Evodia lamprocarpa, 41
 — *oligantha*, 34
 — *papuana*, 42
 — *Peekelii*, 43
 — *phanerophlebia*, 40
 — *philippinensis*, 45
 — *Radlkoferiana*, 41
 — *rosea*, 36
 — *silvatica*, 44
 — *simulans*, 43
 — *solomonensis*, 43
 — *trichopetala*, 36
 — *vitiflora*, 40
Fagara Rhetsa, 33
 — *varians*, 32
Fendlera rigida, 112
Ficus adenisperma, 93
 — *androbota*, 90
 — *Archboldiana*, 84
 — *arfakensis*, 100
 — *Armiti*, 92
 — *Baeuerleni*, 103
 — *benjamina*, 86
 — *Bernaysii*, 99
 — *Bismarckiana*, 95
 — *brachiata*, 101
 — *Branderhorstii*, 92
 — *calodictya*, 102
 — *Caroli*, 92
 — *casearia*, 96
 — *chaetophora*, 93
 — *charadrophila*, 95
 — *chrysochlamys*, 87
 — *cinnabarina*, 102
 — *conora*, 101
 — *Decaisneana*, 89
 — *dichroa*, 88
 — *distichoidea*, 102
 — *duriuscula*, 95
 — *endochaete*, 94
 — *formosa*, 97
 — *fuscata*, 103
 — *garciniifolia*, 86
 — *gibbosa*, 90
 — *glabella*, 87
 — *grandis*, 99
 — *grandis*, 99
 — *gymnorygma*, 107
 — *Hahliana*, 99

- Ficus hololampra*, 93
 — *hylobia*, 89
 — *hylophila*, 98
 — *hypophaea*, 106
 — *hystricarpa*, 92
 — *ihuensis*, 107
 — *incompta*, 107
 — *infectoria*, 87
 — *insculpta*, 105
 — *irritans*, 104
 — *lacor*, 87
 — *leptodictya*, 90
 — *longepedunculata*, 96
 — *macrorrhyncha*, 91
 — ***mafuluensis***, 83
 — *mangiferifolia*, 88
 — *microdictya*, 106
 — *muriculata*, 96
 — *myriocarpa*, 101
 — ***myrmekiocarpa***, 82
 — *nodosa*, 101
 — *ochrochlora*, 90
 — *Odoardi*, 106
 — *pachythyrsa*, 100
 — *Pantoniana*, 102
 — *patellifera*, 88
 — *phaeosyce*, 92
 — *philippinensis*, 89
 — *pilosa*, 87
 — ***pteleiphylla***, 91
 — *pyconeura*, 93
 — *regnans*, 85
 — *retusa*, 86
 — *rhizophoriphylla*, 85
 — *sclerotiara*, 81
 — *Scratchleyana*, 107
 — *septica*, 96
 — *setistyla*, 99
 — spec., 88, 107
 — *sterrocarpa*, 81
 — *stipulosa*, 87
 — *subulata*, 89
 — *trachypison*, 91
 — *trichosphaeridia*, 104
 — *variegata*, 102
 — *xanthosyce*, 95
Flacourtiaceae (Pangieae-Hydnocarpi-
 nae) from tropical Queensland, A new
 genus of, 143
- Flaveria anomala*, 165
Flindersia chrysantha, 59
 — *Schottiana*, 58
Fouquieria Shrevei, 160
Frankenia gypsophila, 160
Freziera, Studies in the Theaceae, VIII.
 A synopsis of the genus, 457
Freziera, 459
 — *angulosa*, 466
 — *arbutifolia*, 480
 — *boliviensis*, 487
 — *Bolleana*, 403
 — *Bonplandiana*, 495
 — ***caloneura***, 477
 — *calophylla*, 474
 — *candicans*, 492
 — *canescens*, 490
 — — ***rufescens***, 492
 — *cernua*, 404
 — *chrysophylla*, 494
 — *conocarpa*, 496
 — *cordata*, 462
 — *Dombeyana*, 486
 — *Ekmani*, 401
 — *elegans*, 465
 — ***euryoides***, 486
 — *ferruginea*, 479
 — *Friedrichsthaliana*, 471
 — *Grisebachii*, 479
 — *guatemalensis*, 468
 — *grianensis*, 490
 — *Hieronymi*, 467
 — *hirsuta*, 463
 — *hirsuta*, 479
 — *ilicoides*, 411
 — *inaequalifolia*, 471
 — *inaequilatera*, 470
 — *integrifolia*, 401
 — *Karsteniana*, 484
 — *lanata*, 487
 — *lancifolia*, 478
 — *Lehmannii*, 474
 — *longipes*, 473
 — *macrophylla*, 469
 — *mexicana*, 402
 — *monzonensis*, 496
 — *nervosa*, 474
 — *nimanima*, 411
 — *parva*, 485

- Freziera Perrottetiana*, 464
 — *reticulata*, 481
 — — *subintegrifolia*, 482
 — *roraimensis*, 490
 — *salicifolia*, 464, 483
 — — *undulata*, 464
 — *Seemanniana*, 492
 — *sericea*, 482
 — — *chrysophylla*, 494
 — *sericea*, 492
 — **Smithiana**, 470
 — *spathulifolia*, 472
 — *suberosa*, 466
 — *subintegrifolia*, 476
 — *ternstroemoides*, 416
 — *theoides*, 413
 — *tomentosa*, 486
 — *undulata*, 460, 464
 — — *elegans*, 465
 — — *hirsuta*, 463
 — *vaccinioides*, 415
 — *verrucosa*, 475
 — *Wawrai*, 483
 — *yungasia*, 487
Gaillardia multiceps, 166
Garcinia angustifolia, 355
 — **Archboldiana**, 366
 — *balimensis*, 360
 — *Branderhorstii*, 361
 — **Engleriana**, 367
 — *Hunsteinii*, 365
 — **idenburgensis**, 368
 — *latissima*, 370
 — **Lauterbachiana**, 361
 — *macrantha*, 359
 — *novo-guineensis*, 354
 — *pachyantha*, 355
 — *platyphylla*, 369
 — *rhynchophylla*, 362
 — *riparia*, 356
 — *Schraderi*, 365
 — **solomonensis**, 357
 — *subtilinervis*, 363
 — **Warburgiana**, 354
 — *Warrenii*, 361
Genistidium, 113
 — *dumosum*, 113
Gypsophily among Mexican desert plants, 145
Gyrinops Ledermannii, 264
Haploesthes Greggii, 168
 — — *multiflora*, 170
 — — *texana*, 169
 — *robusta*, 121
Hedycarya solomonensis, 231
Hemistemma Banksii, 497
Henslovia Cumingii, 270
Hibbertia Banksii, 497
Hicoria Pecan, 571
Hicorius pecan, 571
Hippocrateaceae from New Guinea, *Brassiantha*, a new genus of, 389
Horsfieldia congestiflora, 64
 — *Hellwigii*, 61
 — *novo-guineensis*, 62
 — *pachycarpa*, 64
 — *solomonensis*, 63
 — *trifida*, 60
 — *tuberculata*, 62
 HOWARD, R. A. & I. W. BAILEY. The comparative morphology of the Icacinaceae, I, Anatomy of the node and internode, 125
 — The comparative morphology of the Icacinaceae II, Vessels, 171
 — The comparative morphology of the Icacinaceae III, Imperforate tracheary elements and xylem parenchyma, 432
 — The comparative morphology of the Icacinaceae IV. Rays of the secondary xylem, 556
Hypericum habbemense, 343
Icacinaceae, I, Anatomy of the node and internode, The comparative morphology of the, 125
 Icacinaceae II, Vessels, The comparative morphology of the, 171
 Icacinaceae III, Imperforate tracheary elements and xylem parenchyma, The comparative morphology of the, 432
 Icacinaceae IV, Rays of the secondary xylem, The comparative morphology of the, 556
Idenburgia elaeocarpoides, 233
 — *pauciflora*, 234
Ilex scabridula, 258
 — *Versteeghii*, 259

- Imperforate tracheary elements and xylem parenchyma, The comparative morphology of the Icacinaceae III, 432
- Isomerocarpa**, 250
— *novoguineensis*, 251
- Isotrema chrysops*, 574
- JOHNSTON, IVAN M. Gypsophily among Mexican desert plants, 145
- New phanerogams from Mexico, IV, 110
- Juglans alba pacana*, 571
— *angustifolia*, 571
— *cylindrica*, 571
— *illinoiensis*, 571
— *olivaeformis*, 571
— *pecan*, 571
- Kelleria patula**, 267
- Kibara Archboldiana**, 240
— *elongata*, 244
— *inamoena*, 241
— *laurifolia*, 240
— *papuana*, 242
— *rigidifolia*, 243
- KOBUSKI, CLARENCE E. Studies in the Theaceae, VI, The genus Symplococarpus Airy-Shaw, 188
— Studies in the Theaceae, VII, The American species of the genus Cleyera, 395
— Studies in the Theaceae, VIII. A synopsis of the genus Freziera, 457
- Lagerstroemia Archeriana**, 268
- Lauraceae, III, Some critical and new species of Asiatic *Lindera*, with occasional notes on *Litsea*, Studies in the, 1
- Laurus Nacusua*, 9
- Lebedour's "Flora Rossica," "Icones plantarum novarum," and "Flora Altaica," with a note on Pallas' "Flora Rossica," 225
- Leea indica**, 380
— *macropus*, 382
— *papuana*, 382
— *sambucina*, 380
— *solomonensis*, 380
— *suaveolens*, 381
- Letsomia*, 459
— *candicans*, 492
- Letsomia Dombeyana*, 486
— *lanata*, 487
— *longipes*, 473
— *tomentosa*, 486
- Leucophyllum candidum**, 120
— *griseum*, 119
— *pruinatum*, 119
- Levieria nitens**, 232
— *parvifolia*, 233
— *squarrosa*, 232
- Lindera**, with occasional notes on *Litsea*, Studies in the Lauraceae, III, Some critical and new species of Asiatic, 1
Lindera alongensis, 30
— *angustifolia*, 8
— *assamica*, 1
— *Bodinieri*, 8
— *caudata*, 28
— *caudata*, 23
— *Chunii*, 29
— *communis*, 8
— — *grandifolia*, 9
— *dictyophylla*, 5
— *Doniana*, 10
— *Duclouxii*, 12
— *Eberhardtii*, 30
— *erythrocarpa*, 15
— *flavinervia*, 30
— *Gambleana*, 27
— — *floribunda*, 28
— *glaucoides*, 8
— — *nitidula*, 9
— *Hemsleyana*, 25
— — *velutina*, 25
— *hypoglauca*, 15
— *kwangtungensis*, 2
— — *robusta*, 3
— *latifolia*, 7
— *Laureola*, 9
— *longipedunculata*, 6
— *Meissneri*, 2
— — *kwangtungensis*, 2
— — *lenticellata*, 2
— *membranacea*, 13
— *Metcalfiana*, 3
— *Nacusua*, 9
— *Paxiana*, 9
— *pedunculata*, 11

- Lindera Playfairii*, 29
 — *pulcherrima*, 20
 — — *attenuata*, 21
 — — *glauca*, 21
 — *pulcherrima*, 22
 — *reflexa*, 17
 — *rufa*, 29
 — *sericea*, 16
 — — *glabrata*, 17
 — ***Stewardiana***, 26
 — spec., 12
 — ***sterrophylla***, 12
 — *strychnifolia*, 28
 — — *Hemsleyana*, 25
 — — *var.*, 25
 — — *velutina*, 25
 — *subcaudata*, 23
 — *supracostata*, 24
 — — *attenuata*, 24
 — ***Thomsonii***, 22
 — *tonkinensis*, 20
 — *umbellata*, 13
 — — *hypoglauca*, 14
 — — *latifolia*, 17
 — — *pubescens*, 15
 — — *sericea*, 16
 — ***urophylla***, 23
 — ***Vernayana***, 24
 — *yunnanensis*, 8
- Litsea*, Studies in the Lauraceae, III,
 Some critical and new species of Asi-
 atic *Lindera*, with occasional notes
 on, 1
- Litsea Merrilliana*, 11
 — *Playfairii*, 29
 — ***szechuanica***, 18
- Lobelia affinis*, 386
 — *barbata*, 386
 — ***brachyantha***, 385
 — *Gaudichaudii*, 135
 — — *coccinea*, 135
 — — *typica*, 135
 — *microcarpa*, 385
 — *succulenta*, 386
 — *zeylanica*, 386
- Loeselia Havardii*, 160
- Lonicera codonantha*, 578
 — *Myrtillus cyclophylla*, 579
- Mallotus*, New species of, 204
Mallotus apelta, 204
 — — ***kwangsiensis***, 204
 — *barbatus congestus*, 206
 — ***Croizatianus***, 204
 — *Dunnii*, 205
 — *lotingensis*, 206
 — ***luchenensis***, 206
 — *philippensis reticulatus*, 207
 — *reticulatus*, 207
 — *Roxburghianus glabra*, 205
 — spec., 204
- Mangifera inocarpoides*, 532
 — *minor*, 532
- Megistostigma cordatum*, 426
 — *malaccense*, 425
 — *peltatum*, 426
 — ***yunnanense***, 426
- Melicope clathrata*, 49
 — *coriacea*, 49
 — *heterophylla*, 48
 — ***macrophylla***, 51
 — ***mucronata***, 50
 — *novo-guineensis*, 48
 — *parvifolia*, 45
 — *perspicuinervia*, 50
 — *polyadenia*, 47
 — ***pubifolia***, 53
 — *solomonensis*, 52
 — ***sterrophylla***, 46
- Meliosma Schlechteri*, 262
- MERRILL, E. D.** A note on the dates of
 issue of the fascicles comprising Cos-
 son's "Illustrationes Florae Atlanti-
 cae" 1882-1897, 455
 — A note on the dates of publication of
 Wight's "Icones plantarum Indiae
 Orientalis," 222
- MERRILL, E. D. & L. M. PERRY.** Ob-
 servations on old world species of
Turpinia Ventenat, 543
 — *Plantae Papuanae Archboldiana*e, 32,
 253, 375, 529
- METCALF, FRANKLIN P.** New species of
Mallotus, 204
- Momordica Grosvenori** sp. nov., The
 source of the Chinese lo han kuo, 197
- Muhlenbergia villiflora*, 155

- MUÑOZ, CARLOS. *Relchela panicoides* Steudel, Gramineae endemica en Chile, 209
- MURRILL, WILLIAM A. & ERNEST J. PALMER. A new willow from Florida, 580
- Myristica Archboldiana**, 73
- **Brassii**, 72
 - **cerifera**, 77
 - **Clemensii**, 78
 - **faroensis**, 74
 - **fusca**, 67
 - **Hollrungii**, 67
 - **inutilis**, 74
 - **Kajewskii**, 68
 - **Markgraviana**, 66
 - **multinervia**, 70
 - **pachyphylla**, 69
 - **petiolata**, 69
 - **platyphylla**, 76
 - **procera**, 79
 - **salomonensis**, 75
 - **Schleinitzii**, 74
 - **sphaerosperma**, 71
- Nama canescens**, 162
- **carnosum**, 163
 - **hispidum gypsicola**, 162
 - **Purpusii**, 161
 - **serpylloides velutina**, 162
 - **Stewartii**, 114, 161
- Neolitsea Playfairii**, 29
- **subcaudata**, 23
- Nerisyrenia Castillonii**, 158
- **gracilis**, 157
 - **incana**, 159
 - **linearifolia**, 158
- Netherlands New Guinea, The 1938-39 Expedition to the Snow Mountains, 271, 297
- New genus of Flacourtiaceae (Pangieae-Hydnocarpinae) from tropical Queensland, A, 143
- New Guinea, Additions to our knowledge of the figs of, 81
- New Guinea, Brassiantha, a new genus of Hippocrateaceae from, 389
- New phanerogams from Mexico, IV, 110
- New Species of Mallotus, 204
- New species, varieties and combinations from the collections of the Arnold Arboretum, 569
- New willow from Florida, A, 579
- NICHOLS, CHARLES, JR. & E. CHALMERS SMITH. Species hybrids in forest trees, 443
- Note on the dates of issue of the fascicles comprising Cosson's "Illustrationes Florae Atlanticae" 1882-1897, A, 455
- Note on the dates of publication of Wight's "Icones plantarum Indiae Orientalis," A, 222
- Notholaena bryopoda**, 154
- Observations on old world species of *Turpinia* Ventenat, 543
- PALMER, ERNEST J. & WILLIAM A. MURRILL. A new willow from Florida, 580
- Palmeria arfakiana**, 245
- **Fengeriana**, 248
 - **habbemensis**, 246
 - **incana**, 245
 - **montana**, 247
 - **puberula**, 249
- Panicum oligostachium**, 213
- Papuan Plants, Studies of, 60, 231, 343, 497
- Parasponia rigida**, 254
- **simulans**, 255
- Parastemon Versteeghii**, 256
- Pentaphalangium Brassii**, 372
- **latissimum**, 370
 - **pachycarpum**, 371
 - **solomonense**, 373
- Pentaphragma macrophyllum**, 384
- Perityle Castillonii**, 122
- Perrottetia traumatophylla**, 261
- PERRY, L. M. and E. D. MERRILL. Observations on old world species of *Turpinia* Ventenat, 543
- Plantae Papuanae Archboldianae, 32, 253, 375, 529
- Petalonyx crenatus**, 160
- Petrogenia**, 116
- **repens**, 116
- Phacelia gypsogenia**, 163

- Phaleria Perrottetiana*, 265
— subcaudata, 265
Phyllocharis subcordata, 387
Plantae Papuanae Archboldianae, 32,
 253, 375, 529
Plukenetia corniculata, 425
Plukenetiinae of the Euphorbiaceae in
 eastern tropical Asia, The tribe, 417
Podocarpus coraianus, 570
— koraiana, 570
Prinsepia uniflora serrata, 575
Pterococcus corniculatus, 425
— glaberrimus, 425
Quercus dilatata, 572
— floribunda, 572
— floribunda, 572
— petraea insecata, 573
— — laciniata, 573
— sessiliflora insecata, 573
— — laciniata, 573
— sessilis laciniata, 573
Ramelia codonostylis, 431
REHDER, ALFRED. New species, varieties
 and combinations from the collections
 of the Arnold Arboretum, 569
Relchela panicoides Steudel, Gramineae
 endemica en Chile, 209
Rhus Engleriana, 536
— panaciformis, 536
— retusa, 536
— — rufa, 536
— rufa, 536
— taitensis, 536
Robinia chamlagu, 576
— chinensis, 576
— lucida, 576
— sinica, 576
Rotala mexicana, 268
Sakakia, 397
Salix astutulana, 580
Salvia texana canescens, 118
Salviastrum canescens, 118
— texanum canescens, 118
Sanicula canadensis genuina, 134
— — grandis, 135
— — typica, 134
— — typica, 135
Sartwellia Flaveriae, 168
Sartwellia humilis, 167
— mexicana, 167
— puberula, 167
Sauraia albiflora, 506
— alpicola, 516
— arcana, 518
— Archboldiana, 514
— belensis, 505
— Brassii, 512
— calyprata, 503
— capitulata, 521
— collina, 513
— conferta, 524
— congestiflora, 519
— Dielsiana, 510
— eburnea, 520
— excurrens, 503
— eximia, 503
— fimbriata, 508
— holotricha, 510
— idenburgensis, 513
— Kajewskii, 511
— macrantha, 507
— occulta, 523
— pleurotricha, 521
— rosea, 509
— rubrisquamata, 504
— Schumanniana, 509
— sterrolepida, 515
— tafana, 517
Schuurmansia Bamleri longifolia, 524
— coriacea, 525
— grandiflora, 527
— longifolia, 524
— montana, 526
Selinocarpus Purpusianus, 156
Semecarpus Archboldiana, 541
— brachystachys, 540
— decipiens, 539
— fulvo-villosa, 538
— magnifica, 537
— rostrata, 538
SMITH, A. C. Studies of Papuasian
 Plants, 60, 231, 343, 497
— & I. W. BAILEY. Brassiantha, a new
 genus of Hippocrateaceae from New
 Guinea, 389
SMITH, E. CHALMERS. Chromosome be-
 havior in *Catalpa* hybrida Spaeth, 219

- SMITH, E. CHALMERS & CHARLES NICHOLS, JR. Species hybrids in forest trees, 443
- Snow Mountains, Netherlands New Guinea, The 1938-39 Expedition to the, 271, 297
- Solidago nemoralis decemflora*, 136
— — *longipetiolata*, 136
- Sonneratia ovata*, 269
- Species hybrids in forest trees, 443
- Sphaerostylis anomala*, 430
— *Friesiana*, 430
— *glabrata*, 425
— *malaccensis*, 425
— *natalensis*, 430
- Sporobolus Nealleyi*, 155
- Staphylea indica*, 380
- STEARNS, WILLIAM T. Ledebour's "Flora Rossica," "Icones Plantarum novarum," and "Flora Altaica," with a note on Pallas' "Flora Rossica," 225
- Steganthera elliptica*, 236
— *ilicifolia*, 235
— *insignis*, 237
— *Schumanniana*, 235
- Studies in the Lauraceae, III, Some critical and new species of Asiatic *Lindera*, with occasional notes on *Litsea*, 1
- Studies in the Theaceae, VI, The genus *Symplococarpus* Airy-Shaw, 188
- Studies in the Theaceae, VII, The American species of the genus *Cleyera*, 395
- Studies in the Theaceae, VIII, A synopsis of the genus *Freziera*, 457
- Studies of Papuasian Plants, 60, 231, 343, 497
- SUMMERHAYES, V. S. Additions to our knowledge of the figs of New Guinea, 81
- SWINGLE, WALTER T. *Momordica Grossvenori* sp. nov., The source of the Chinese lo han kuo, 197
- Symplococarpus* Airy-Shaw, Studies in the Theaceae, VI, The genus, 188
- Symplococarpus*, 188
— *Airy-Shawianum*, 190
— *Brenesii*, 194
— *chiriquiense*, 192
— *Hintoni*, 189
- Symplococarpus Hintoni*, 190
— *multiflorum*, 193
— *Purpusii*, 191
- Taxus Harringtonia*, 569
— *Inukaja*, 569
— *Sinensis*, 569
- Terminthodia*, 53
— *lanceolata*, 54
— *ovata*, 55
— *oppositifolia*, 54
— *orbiculata*, 54
— *rotundifolia*, 54
— *Schultzei Leonhardi*, 54
— *Treubiana*, 54
- Ternstroemia albo-punctata*, 399
— *Purpusii*, 191
— *serrulata*, 407
— *syphilitica*, 401
- Tetractomia*, 53
— *lanceolata*, 54
— *Lauterbachiana*, 55
— — *pumila*, 55
— *oppositifolia*, 54
— *orbiculata*, 54
— *rotundifolia*, 54
— *Schultzei Leonhardi*, 54
— *Treubiana*, 54
- Tetranthera bifaria*, 9
— *pulcherrima*, 20
- Tetrastigma Lauterbachianum*, 376
— *Pullei*, 375
- Theaceae, VI, The genus *Symplococarpus* Airy-Shaw, Studies in the, 188
- Theaceae, VII, The American species of the genus *Cleyera*, Studies in the, 395
- Theaceae, VIII, A synopsis of the genus *Freziera*, Studies in the, 457
- Thelesperma ramosius*, 165
— *scabridulum*, 165
- Tragia anisosepala*, 429
— *anomala*, 430
— *Delpyana*, 425
— *Friesiana*, 430
— *involucrata*, 429
— *natalensis*, 430
- Tragiella anomala*, 430
— *Friesiana*, 430
— *natalensis*, 430
- Triceros cochinchinensis*, 551

- Tristylium*, 397
— *mexicanum*, 402
Turpinia Ventenat, Observations on old world species of, 543
Turpinia affinis, 550
— *cochinchinensis*, 551
— *glaberrima*, 552
— — *stenophylla*, 552
— *gracilis*, 553
— *latifolia*, 548
— — *pubescens*, 548
— *laxiflora*, 553
— *lucida*, 549
— *malabarica*, 547
— *montana*, 552
— — *borneensis*, 553
— *nepalensis*, 551
— *nitida*, 549
— *ovalifolia*, 549
— *pachyphylla*, 549
— *papuana*, 554
— *parva*, 553
— *pomifera*, 546
— *pomifera*, 547
— *sambucifolia*, 547
— *sphaerocarpa*, 547
— *ternata*, 550
- Turpinia Versteeghii*, 554
Velleia spathulata, 387
Ventilago papuana, 263
Vessels, The comparative morphology of the Icacinaceae II, 171
Vitis acetosa, 375
— *assamica*, 377
— *hypoglauca*, 378
— *japonica*, 379
Wahlenbergia confusa, 383
— *gracilis*, 384
WHITE, C. T. A new genus of Flacourtiaceae (Pangieae-Hydnocarpinae) from tropical Queensland, 143
Wikstroemia venosa, 266
Wormia auriculata, 501
— *crenata*, 498
— *ingens*, 501
— *insignis*, 500
— *macrophylla*, 498
— *nitida*, 499
Xanthochymus novo-guineensis, 354
Zanthoxylum conspersipunctatum, 33
— *dimorphophyllum deminutum*, 577
— *Dominianum*, 32
— *montanum*, 552
— Rhetsa, 33

